



| | | | | | | | |
|--|--|----|----|-----------------------------------|------|-----------------------|----|
| Column: | YMC-Pack PVA-Sil (5 µm, 12 nm) 250 x 4.6 mm i.d. | | | | | | |
| Flow rate: | 1 to 2 ml/min | | | | | | |
| Mobile Phase: | A: iso-hexane / methyl ter butyl ether (98:2,v/v) B: propan-2-ol / ACN / CHCl ₃ / CH ₃ OOH (84:8:8:0.025) C: propan-2-ol / water / triethylamine (50:50:0.2,v/v) | | | | | | |
| Gradient: | | | | | | | |
| Tmin: | 0 | 5 | 15 | 40 | 40,1 | 45 | 50 |
| B%: | 0 | 20 | 52 | 52 | 70 | 0 | 0 |
| C%: | 0 | 0 | 4 | 14 | 0 | 0 | 0 |
| Flow (ml/mn): | 1 | 1 | 1 | 1,4 | 2 | 2 | 2 |
| Nebuliser temperature: 25 °C, Evaporation temperature: 35 °C | | | | | | | |
| S: | Sterols | | | SE: Sterol Esters | | SG: Steryl glycosides | |
| MGDG: | Monogalactosyldiacylglycerols | | | DGDG: Digalactosyldiacylglycerols | | | |
| PE: | Phosphatidylethanolamine | | | PG: Phosphatylglycerols | | | |
| PC: | Phosphatidylcholine | | | ASG: Acylsterylglycosides | | | |
| PI: | Phosphatidylinositol | | | DG: Diacylglycerol | | | |
| CER: | Cerebrosides | | | | | | |